

Solar Led Street Light

JD-1043



Solar controller



Lithium battery



LED lamp



Solar panel



技术参数 Specification

| 瓦数 | wattage | 12V/20W | 12V/30W | 12V/40W | 12V/60W |
|------|---|---------------------|---------------------|---------------------|---------------------|
| 太阳能板 | high efficiency monocrystalline silicon | 18V 50w | 18V 60w | 18V 60w | 18V 90w |
| 锂电池 | Lithium battery | 12.8V18AH | 12.8V21AH | 12.8V24AH | 12.8V42AH |
| 充电时间 | Charge time | 6 hours | 6 hours | 6 hours | 6 hours |
| 放电时间 | Discharge time | 10hours(full power) | 10hours(full power) | 10hours(full power) | 10hours(full power) |
| 放电时间 | Discharge time | 36hours(half power) | 36hours(half power) | 36hours(half power) | 36hours(half power) |
| 流明 | Lumen(LM) | 100-110lum/w | 100-110lum/w | 100-110lum/w | 100-110lum/w |
| 寿命 | Life Time | 50000 hours | 50000 hours | 50000 hours | 50000 hours |
| 灯杆高低 | Pole height | 3m | 3m | 4m | 6m |

Solar Led Street Light

JD-1047



Solar controller



Lithium battery



LED lamp



Solar panel



技术参数 Specification

| 瓦数 | wattage | 12V/20W | 12V/30W | 12V/40W | 12V/60W | 12V/80W | 30V/100W | 30V/120W |
|------|---|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 太阳能板 | high efficiency monocrystalline silicon | 18V 50w | 18V 60w | 18V 60w | 18V 90w | 18V 110w | 18V 160w | 36V 170W |
| 锂电池 | Lithium battery | 12.8V18AH | 12.8V21AH | 12.8V24AH | 12.8V42AH | 12.8V48AH | 12.8V54AH | 25.6V 33AH |
| 充电时间 | Charge time | 6 hours | 6 hours | 6 hours | 6 hours | 6 hours | 6 hours | 6 hours |
| 放电时间 | Discharge time | 10hours(full power) | 10hours(full power) | 10hours(full power) | 10hours(full power) | 10hours(full power) | 10hours(full power) | 10hours(full power) |
| 放电时间 | Discharge time | 36hours(half power) | 36hours(half power) | 36hours(half power) | 36hours(half power) | 36hours(half power) | 36hours(half power) | 36hours(half power) |
| 流明 | Lumen(LM) | 100-110lum/w | 100-110lum/w | 100-110lum/w | 100-110lum/w | 100-110lum/w | 100-110lum/w | 100-110lum/w |
| 寿命 | Life Time | 50000 hours | 50000 hours | 50000 hours | 50000 hours | 50000 hours | 50000 hours | 50000 hours |
| 灯杆高低 | Pole height | 3m | 3m | 4m | 6m | 7m | 9m | 10m |

Solar Led Street Light

JD-1051B



Solar controller



Lithium battery



LED lamp



Solar panel



技术参数 Specification

| 瓦数 | wattage | 12V/20W | 12V/30W | 12V/40W | 12V/50W | 12V/60W |
|------|---|---------------------|---------------------|---------------------|---------------------|---------------------|
| 太阳能板 | high efficiency monocrystalline silicon | 18V 50w | 18V 60w | 18V 60w | 18V 80w | 18V 90w |
| 锂电池 | Lithium battery | 12.8V18AH | 12.8V21AH | 12.8V24AH | 12.8V36AH | 12.8V42AH |
| 充电时间 | Charge time | 6 hours | 6 hours | 6 hours | 6 hours | 6 hours |
| 放电时间 | Discharge time | 10hours(full power) | 10hours(full power) | 10hours(full power) | 10hours(full power) | 10hours(full power) |
| 放电时间 | Discharge time | 36hours(half power) | 36hours(half power) | 36hours(half power) | 36hours(half power) | 36hours(half power) |
| 流明 | Lumen(LM) | 100-110lum/w | 100-110lum/w | 100-110lum/w | 100-110lum/w | 100-110lum/w |
| 寿命 | Life Time | 50000 hours | 50000 hours | 50000 hours | 50000 hours | 50000 hours |
| 灯杆高低 | Pole height | 3m | 3m | 4m | 5m | 6m |

